

SECOR INTERNATIONAL INCORPORATED WWW.secor.com

2655 Camino Del Rio N. Suite 302 San Diego, CA 92108 619-296-6195 TEL 619-296-6199 FAX

LIMITED POTENTIAL SENSIVIVE RECEPTOR SURVEY FOR

ATLANTIC RICHFIELD COMPANY

ARCO Facility #3037 015 Camino del Rio South San Diego, CA 92108 SAM Caso #H05125-002

September 25, 2005 SECOR Project #08%P.03037.08

Mr. Roy Thun Atlantic Bichfield Company 4 Centerboint Drive La Palma, CA 90623-1066

Prepared by:

Melissa Garrett Staff Scientist

Approved by:

Bradley G. Eisenberg, PG# 6872

BRADLEY G. EISENDERG

No. 6872

Senior Geologist

TABLE OF CONTENTS

1.0	INTRODUCTION	
	1.1 Purpose and Scope	
2.0	BACKGROUND	
	RECORDS REVIEW RESULTS	
	SITE VICINITY RECONNAISSANCE RESULTS	
	SCREENING-LEVEL EXPOSURE ROUTE ASSESSMENT	
	CONCLUSIONS AND RECOMMENDATIONS	
	STATEMENT OF LIMITATIONS	

TABLE OF CONTENTS (Continued)

LIST OF FIGURES

- FIGURE 1 SITE LOCATION MAP SHOWING POTENTIAL SENSITIVE RECEPTORS
- FIGURE 2 SITE VICINITY MAP SHOWING NEARBY LAND USES
- FIGURE 3 SITE PLAN WITH UTILITY LOCATIONS

LIST OF APPENDICES

- APPENDIX A SAM CORRESPONDENCE DATED NOVEMBER 15, 2004
- APPENDIX B BANKS INFORMATION SYSTEM WATER WELL REPORT DATED

SEPTEMBER 3, 2003

APPENDIX C SECOR PHOTOGRAPHIC RECORD

1.0 INTRODUCTION

SECOR International Incorporated (SECOR), on behalf of Atlantic Richfield Company (Atlantic Richfield), has prepared this report summarizing the limited potential sensitive receptor survey (SRS) performed for ARCO Facility #3037, located at 915 Camino del Rio South, San Diego, California (Figures 1 and 2). The limited SRS was conducted pursuant to a directive from the San Diego County, Department of Environmental Health, Land and Water Quality Division, Site Assessment and Mitigation Program (SAM) dated November 15, 2004 (attached). The limited SRS considers both human and ecological receptors, including water supply wells, groundwater and surface water bodies. Figure 1 shows the site location with the locations of identified potential sensitive receptors as applicable; Figure 2 shows the vicinity land uses, as adapted from SanGIS; and Figure 3 shows a site plan.

1.1 PURPOSE AND SCOPE

The purpose of this limited SRS is to identify and provide information on potential sensitive human and ecological receptors and associated exposure routes to support risk-based corrective action decisions for the subject site in accordance with guidance provided by the SAM Manual¹. Potential sensitive receptors that were evaluated are listed on the following table.

Potential Sensitive Receptors				
Ecological Receptors ^b				
Water supply wells (irrigation)				
Surface waters				
Storm Drain Inlets				
Wetlands				
Sensitive aquifers ^c				
Sensitive wildlife habitat ^c				

Notes:

- a. Facilities with potentially sensitive human populations.
- b. Includes both non-human potential receptors and key potential exposure routes to human receptors.
- c. As defined by the California Regional Water Quality Control Board (CRWQCB), San Diego, 1994, Water Quality Control Plan, San Diego Basin (9).

County of San Diego, Department of Environmental Health, Land & Water Quality Division, Site Assessment and Mitigation Program Manual, revised February 18, 2004.

The three main exposure routes relevant to leaking underground fuel tank sites are:

- Inhalation of vapor emanating from liquid-phase petroleum hydrocarbons (LPH)
- Inhalation of vapor emanating from soil and/or groundwater contamination
- Ingestion of contaminated soil or groundwater

Additional potential exposure routes may include but are not limited to:

- Accumulation of flammable vapors and toxic substances in utility vaults and storm drain catch basins;
- Migration of contaminated groundwater to surface water bodies and associated sensitive ecological habitat.

This limited SRS includes site and vicinity surveys conducted by SECOR personnel, review of files and maps from applicable agencies, and collection and evaluation of public database records compiled by public agencies or database vendors. SECOR has attempted to field-verify² reported locations of water supply wells, if any. As such, this limited SRS is based on readily-available information as that term is defined in American Society for Testing and Materials (ASTM) Practice E1527-00, and represents a thorough, though not exhaustive, search for potential sensitive receptors. The scope elements and key information sources are summarized on the following table.

Limited SRS Scope Elements			
Task	Minimum Search Distance (radius)	Information Source	
Neighborhood reconnaissance for potential sensitive receptors	¼ mile	SECOR field reconnaissance – on foot	
	½ mile (downwind direction ^a)	SECOR field reconnaissance – driving supplemented as needed by on-foot survey	
Neighborhood reconnaissance for water supply wells	¼ mile	SECOR field reconnaissance - on foot	
	½ mile ^b	SECOR field reconnaissance – driving supplemented as needed by on-foot survey	
Water supply wells from agency	½ mile	County of San Diego records	
information	1 mile	California Department of Water Resources (DWR)	
	1 mile	United States Geological Survey (USGS) map	
	1 mile	Banks Information Solutions, Inc Water Well Report (attached)	

² Field verification consists of observation from public rights-of-way.

Limited SRS Scope Elements (Cont.)				
Task	Minimum Search Distance (radius)	Information Source		
Surface waters, wetlands, sensitive aquifers and habitat, watershed management areas	1 mile	CRWQCB Water Quality Control Plan, USGS and San Diego County Water Authority maps, United States Fish & Wildlife website		
Clean Water Act §303d rivers, beaches, bays, estuaries, lakes	½ mile	SanGIS map		
Flood zones	½ mile	SanGIS map		
Potential sensitive receptors	1 mile	Yahoo!™ maps		
Schools, hospitals	1 mile	Yahoo!™ maps		
	1 mile	Thomas Bros. maps		
Field confirmation of database information	½ mile	SECOR field reconnaissance		

Notes

- a. Data on prevailing wind direction is available for many San Diego County locations from the Western Regional Climate Center at www.wrcc.dri.edu
- b. The minimum search distance should be expanded in the downgradient direction in areas with private supply wells.

Once potential sensitive receptors have been identified, a screening level evaluation of exposure routes is conducted to identify those potential receptors that may have a complete exposure pathway. As discussed in Section 6 of the SAM Manual, a threat to a receptor may exist if there is a complete exposure pathway; otherwise, the receptor is not at risk. A pathway is considered complete if there is a hazardous substance release, an exposure route, and a potential receptor.

Migration of hazardous substances in the subsurface is controlled by the chemical properties, and by geological and hydrological factors. For example, vapor migration may be controlled by source concentrations, chemical properties, soil permeability and moisture content, pressure gradients, and other factors. LPH migration is generally downwards through permeable soil, but LPH may move laterally along the top of fine-grained perching layers or along sand lenses or backfill around buried utilities. Dissolved-phase hydrocarbons generally migrate downwards to groundwater, then migrate in the direction of groundwater flow.

A potential sensitive receptor may exist near a site, but may not be at risk from substances released at the site owing to an incomplete exposure pathway. For example, if impacted groundwater exists below the site, it would not likely affect the indoor air of potential receptors located in a hydrologically upgradient or cross-gradient direction from the site; therefore, the exposure pathway would be considered incomplete for that potential receptor. A supply well located upgradient or cross-gradient from the site may not represent a complete pathway if the capture zone of the well does not extend to the site.



The screening level exposure route assessment eliminates those potential receptors with incomplete exposure pathways. Receptors with potential complete exposure pathways are retained for further more-rigorous evaluation, which is beyond the scope of this limited SRS.

2.0 BACKGROUND

Beneficial uses of groundwater and surface waters in the site area are summarized in the following table.

San Diego Hydrologic Basin (900.00) San Diego Hydrologic Unit (907.00) Lower San Diego Hydrologic Area (907.10) Mission San Diego Hydrologic Subarea (907.11)				
Beneficial Use	Groundwater	Surface Water ¹		
Municipal and Domestic Supply	O	+		
Agricultural Supply	Χ	X		
Industrial Service Supply	X	X		
	Χ			
Exachinates Danishment				
Ground Water Recharge				
Hudronowar Ganaration				
Rec-1 (Contact Water Recreation)		×		
Rec-2 (Non-contact Water Recreation)		X		
Warm Freshwater Habitat		X		
Cold Freshwater Habitat		X		
Wildlife Habitat		X		
Preservation of Biological Habitats of Special Significance	A=			
Rare, Threatened, or Endangered		X		
Species				
Spawning, Reproduction, and/or Early Development				
Includes the San Diego River				
Fishing from shore or boat permitted, but other wat Source: California State Water Resources Board a Quality Control Plan, San Diego Basin (9),	nd Regional Water Quality Con	•		
x = Existing Beneficial Use	+ = Excepted from Munic	ipal		
o = Potential Beneficial Use	= No Beneficial Use			

Features relevant to evaluating potential exposure routes from the subject site are shown on Figure 3, as applicable, and are listed on the following table.

Site Features			
Current or former service station (dates From at least the late 1980's to present of operation, if known)			
Property size (acres)	0.3		
Current land use	ARCO gasoline service station and am/pm market		
Percent of property covered by buildings	20		

Site Features (cont.)				
Percent of property covered by paving	70			
landscaped	10			
Surface topography (e.g. level, gently sloping, grade separations, adjacent to steep canyon, etc.)	Slopes to the northwest			
Storm water runoff direction	Sheet flow is northwest			
Domestic water provider	City of San Diego, Water Department			
Sewage disposal method	City of San Diego, Metropolitan Wastewater Department			
Subsurface utility vaults present ^{a.}	Telephone, water utilities, sewer, cable television, gas, and storm drain identified to the north of the property; water, electrical, gas, and sewer to the west of the property.			
	ies is beyond the scope of this sensitive receptor survey. 05, ARCO Quarterly Groundwater Monitoring Report (First -			

The following table summarizes subsurface conditions based on review of select previous environmental assessment reports.

Subsurface Condition	ons and Impacts
Approximate depths of soil impact (Gasoline Range Organics C ₆ - C ₁₂ (GRO), ≥ 100 milligrams per kilogram (mg/kg))	3 to 22.5 feet below ground surface (bgs)
Soil impact crosses site boundary?/direction	Yes/North
Maximum detected soil benzene concentration in milligrams per kilogram (mg/kg)	17
Maximum detected soil methyl tert-butyl ether (MTBE) concentration (mg/kg)	5
Depth to groundwater	11.81 to 21.20 feet bgs (March 2, 2005)
Groundwater gradient/flow direction	0.019/South (March 2, 2005)
Groundwater impacted?	Yes
Dissolved hydrocarbon plume offsite/direction	Yes/West Northwest
LPH present?/LPH offsite?	Yes/Not identified off-site
History of LPH in utility vaults?	Not known
Source: SECOR International Incorporated, 2005, ARC 2005), dated April 15, 2005.	O Quarterly Groundwater Monitoring Report (First -

Based on groundwater sample analytical results from March 2, 2005, the following table summarizes the approximate maximum detected dissolved hydrocarbon concentrations:

Maximum Groundwater Contaminant Concentrations from March 2, 2005 Sampling Event				
Concentration (micrograms per liter (µg/l))	Constituent Reported Offsite?			
2,300	No			
110	No			
260	Yes			
120	Yes			
710	No			
69	Yes			
TBA - 1,100	No			
	Event Concentration (micrograms per liter (µg/l)) 2,300 110 260 120 710 69			

3.0 RECORDS REVIEW RESULTS

Results of agency records review and database information are summarized in the following table. Please refer to Figures 1 and 2 for locations of potential sensitive receptors.

Agency Records and Database Review					
ID #	Potential Sensitive Receptors	Address	Distance from Site (miles)	Direction from Site	
Hun	nan Receptors:				
1	Futures High School	5333 Mission Center Rd. #350	0.5	North	
2	First United Methodist Church Preschool	2111 Camino del Rio South	0.9	East	
3	Urban Skills Center	2225 Camino del Rio South	0.9	East	
4	Institute-Effective Education	2255 Camino del Rio South	1	East	
5	Marjorie Cook Education Center	2255 Camino del Rio South	1	East	
6	Birney Elementary School	4345 Campus Avenue	0.7	South	
7	Aseltine School	4027 Normal Street	1	South	
8	University Christian Church Children's Center Preschool	3900 Cleveland Avenue	1	South	
9	Grace Lutheran Church Parochial School	3993 Park Avenue	1.1	South	
10	Hillcrest Receiving Center - Group Home & School	4307 3 rd Avenue	0.6	Southwest	
11	Unitarian Cooperative Preschool	4190 Front Street	0.8	Southwest	
12	Mission Hills Health Care Center	4033 6 th Avenue	0.9	South	
13	Florence Elementary School & Development Center	3914 1 st Avenue	1.1	Southwest	

ID #	Potential Sensitive Receptors	Address	Distance from Site (miles)	Direction from Site
Ecol	ogical Receptors: Surface Water Bodies:			
14	San Diego River		0.4	North
	Wetlands:			
	(None	Identified Within Search	Distance)	
	Sensitive Aquifers:	· · · · · · · · · · · · · · · · · · ·		
	(None	Identified Within Search	Distance)	ş

None Identified Within the Search Radii. Based on conversations with the local water purveyor (City of San Diego), and review of California Department of Water Resources records, Banks Water Well Report (attached), the United States Geological Survey Topographic Map – La Jolla Quadrangle, and County of San Diego records, supply wells were not identified within the respective search radii. The City of San Diego Water Department reportedly does not have groundwater production wells within the search radii and does not have plans for installation of production wells. The City of San Diego obtains most of its supply from the Colorado River via the California Aqueduct system.

4.0 SITE VICINITY RECONNAISSANCE RESULTS

Current land uses on adjoining properties³ are shown on Figure 2 and summarized in the following table. Select photographs taken during the reconnaissance are attached.

Adjoining Properties							
Land Use	Name or Type of business	Direction from Site	Basement	Across Street?	Down wind?		
Public	Interstate Highway 8	North	No	Yes	Yes		
Commercial	Chrysler/Jeep Auto Dealer Overflow Lot	East	No	No	Yes		
Commercial	San Diego Mission Valley Hilton Hotel	West	No	No	No		
Commercial	Hayama Restaurant	South	No	No	No		

The following table summarizes the potential sensitive receptors observed during the field reconnaissance. Locations of potential sensitive receptors are shown on Figures 1 and 2. Select photographs taken during the reconnaissance are attached.

	Site Vicinity Survey							
ID Potential Sensitive # Receptors		Address or Location from Site (miles)		Direction from Site				
Hun	nan Receptors:							
2	First United Methodist Church Preschool	2111 Camino del Rio South	0.9	East				
3	Urban Skills Center	2225 Camino del Rio South	0.9	East				
4	Institute-Effective Education	2255 Camino del Rio South	1	East				
5	Marjorie Cook Education Center	2255 Camino del Rio South	1	East				
6	Birney Elementary School	4345 Campus Avenue	0.7	South				
7	Aseltine School	4027 Normal Street	1	South				
8	University Christian Church Children's Center Preschool	3900 Cleveland Avenue	1	South				

³ Adjoining properties include those located across streets or alleys bordering the site in all directions.

Site Vicinity Survey (Cont.)						
ID #	Potential Sensitive Receptors	Address or Location	Distance from Site (miles)	Direction from Site		
Hun	nan Receptors:					
10	Hillcrest Receiving Center - Group Home & School	4307 3 rd Avenue	0.6	Southwest		
11	Unitarian Cooperative Preschool	4190 Front Street	0.8	Southwest		
12	Mission Hills Health Care Center	4033 6 th Avenue	0.9	South		
15	Warren-Walker School	4153 Fourth Avenue	0.8	Southwest		
16	San Diego Hospice	4311 3 rd Avenue	0.6	West-Southwest		
Eco	logical Receptors:					
	San Diego River		0.4	North		

5.0 SCREENING-LEVEL EXPOSURE ROUTE ASSESSMENT

As discussed elsewhere herein, a threat to a potential receptor may exist if there is a complete exposure pathway. The potential receptors identified above have been evaluated in a screening level assessment to further identify those for which a more-rigorous evaluation of exposure pathways may be recommended.

The results of the screening level assessment are summarized below:

Exposure Route Assessment						
ID #	Identified Potential Receptor	Distance from Site (miles)	Direction from Site	Assessment	Retain for Further Analysis?	
www	Futures High School	0.5	North	Based on distance from the site and location on the opposite side of the San Diego River, unlikely to be impacted.	No	
2	First United Methodist Church Preschool	0.9	East	Based on distance and location relative to the site and the groundwater gradient direction, unlikely to be impacted.	No.	
3	Urban Skills Center	0.9	East	Based on distance and location relative to the site and the groundwater gradient direction, unlikely to be impacted.	No	
4	Institute-Effective Education	1	East	Based on distance and location relative to the site and the groundwater gradient direction, unlikely to be impacted.	No	
5	Marjorie Cook Education Center	1	East	Based on distance and location relative to the site and the groundwater gradient direction, unlikely to be impacted.	No.	
6	Birney Elementary School	0.7	South	Based on distance and location relative to the site, the groundwater gradient direction, and its elevation approximately 250 feet above the site, unlikely to be impacted.	No	



 	Exposure Route Assessment (Cont.)						
ID #	Identified Potential Receptor	Distance from Site (miles)	Direction from Site	Assessment	Retain for Further Analysis?		
7	Aseltine School	1	South	Based on distance and location relative to the site, the groundwater gradient direction, and its elevation approximately 250 feet above the site, unlikely to be impacted.	No		
8	University Christian Church Children's Center Preschool	1	South	Based on distance and location relative to the site, the groundwater gradient direction, and its elevation approximately 250 feet above the site, unlikely to be impacted.	No		
9	Grace Lutheran Church Parochial School	1.1	South	Based on distance and location relative to the site, the groundwater gradient direction, and its elevation approximately 250 feet above the site, unlikely to be impacted.	No		
10	Hillcrest Receiving Center - Group Home & School	0.6	Southwest	Based on distance and location relative to the site, the groundwater gradient direction, and its elevation approximately 250 feet above the site, unlikely to be impacted.	No		
11	Unitarian Cooperative Preschool	0.8	Southwest	Based on distance and location relative to the site, the groundwater gradient direction, and its elevation approximately 250 feet above the site, unlikely to be impacted.	No		

	Exposure Route Assessment (Cont.)					
ID #	Identified Potential Receptor	Distance from Site (miles)	Direction from Site	Assessment	Retain for Further Analysis?	
12	Mission Hills Health Care Center	0.9	South	Based on distance and location relative to the site, the groundwater gradient direction, and its elevation approximately 250 feet above the site, unlikely to be impacted.	No	
13	Florence Elementary School & Development Center	1.1	Southwest	Based on distance and location relative to the site, the groundwater gradient direction, and its elevation approximately 250 feet above the site, unlikely to be impacted.	No	
14	San Diego River	0.4	North	Based on historical data, benzene has not been detected at concentrations greater than laboratory reporting limits in groundwater samples collected from off-site downgradient wells MW-3 and City Well MW-2, situated between the site and the San Diego River. Toluene, ethylbenzene, and MTBE have been reported in some samples at concentrations that are below the maximum contaminant levels in the past several years. Base on these data and expected fate and transport of petroleum hydrocarbons in the subsurface, unlikely to be impacted.	No	

Exposure Route Assessment (Cont.)					
ID #	Identified Potential Receptor	Distance from Site (miles)	Direction from Site	Assessment	Retain for Further Analysis?
15	Warren-Walker School	0.8	Southwest	Based on distance and location relative to the site, the groundwater gradient direction, and its elevation approximately 250 feet above the site, unlikely to be impacted.	No
16	San Diego Hospice	0.6	West- Southwest	Based on distance and location relative to the site, the groundwater gradient direction, and its elevation approximately 250 feet above the site, unlikely to be impacted.	No



6.0 CONCLUSIONS AND RECOMMENDATIONS

Based on this limited potential SRS, 16 potential sensitive receptors have been identified in the site vicinity, the SRS search radii for the varying types of potential receptors. The potential sensitive receptors have been evaluated using a screening-level exposure route assessment. Based on the screening-level exposure route assessment, SECOR concludes that due to incomplete pathways it is unlikely that the identified potential sensitive receptors would be affected by reported historical subsurface release(s) of petroleum hydrocarbons associated with the subject site.

7.0 STATEMENT OF LIMITATIONS

This limited SRS includes site and vicinity surveys conducted in the field by SECOR personnel, review of files and maps from applicable agencies, and collection and evaluation of public database records compiled by public agencies or database vendors. SECOR has attempted to field-verify⁴ reported locations of water supply wells and other key features of interest. As such, this limited SRS is based on *readily-available* information (as that term is defined in American Society for Testing and Materials (ASTM) Practice E1527-00), and represents a thorough, though not exhaustive, search for potential sensitive receptors.

The conclusions presented in this report are professional opinions based on data described in this report. These opinions have been arrived at in accordance with currently accepted hydrogeologic and engineering standards and practices applicable to this location, and are subject to the following inherent limitations:

- SECOR derived the data presented in this report primarily from visual inspections, examination of records in the public domain, and interviews applicable agencies.
 The passage of time, manifestation of latent conditions, or occurrence of future events may require further study at the site, analysis of the data, and reevaluation of the findings, observations, and conclusions in the report.
- The data reported and the findings, observations, and conclusions expressed in the report are limited by the scope of work. The scope of work was agreed to by the client.
- No warranty or guarantee, whether express or implied, is made with respect to the data reported of findings, observations, and conclusions that are based solely upon site conditions in existence at the time of the investigation.
- This SRS report presents professional opinions and findings of a scientific and technical nature. The report shall not be construed to offer legal opinion or representations as to the requirements of, nor compliance with, environmental laws, rules, regulations, or policies of federal, state, or local governmental agencies. Any use of this report constitutes acceptance of the limits of SECOR's liability. SECOR's liability extends only to its client and not to any other parties who may obtain this report.
- The conclusions presented in this report are professional opinions based on data described in this report. They are intended only for the purpose, site location, and project indicated. This report is not a definitive study of contamination at the site and should not be interpreted as such. A complete evaluation of subsurface soil and groundwater conditions was not performed as part of this investigation. No sampling or chemical analyses of structural materials or other media was completed as part of this study unless explicitly stated.


⁴ Field verification consists of observation from public rights-of-way.

 This report is based, in part, on unverified information supplied to SECOR by thirdparty sources. While efforts have been made to substantiate this third-party information, SECOR cannot guarantee its completeness or accuracy.

FIGURES FIGURE 1 – SITE LOCATION MAP SHOWING POTENTIAL SENSITIVE RECEPTORS FIGURE 2 – SITE VICINITY MAP SHOWING NEARBY LAND USES

FIGURE 3 – SITE PLAN WITH UTILITY LOCATIONS
LIMITED POTENTIAL SENSITIVE RECEPTOR SURVEY (SRS)

Atlantic Richfield Company
ARCO Facility #3037
915 Camino del Rio South
San Diego, CA 92108
SAM Case #H05125-002
SECOR PROJECT #08BP.03037.08
September 26, 2005



DRAWN 8Y: LGH PREPARED BY:
CHECKED:
APPROVED:
DATE: 1/4/05
JOB No.: 088P.03037.05

3037SLOC1-05

CAD FILE:

2655 Camino del Rio North, Suite302


San Diego, California


PREPARED FOR:

ARCO FACILITY #3037 915 CAMINO DEL RIO SOUTH SAN DIEGO, CALIFORNIA 92108

SITE LOCATION MAP SHOWING POTENTIAL SENSITIVE RECEPTORS

FIGURE: 1





APPENDIX A **SAM CORRESPONDENCE DATED NOVEMBER 15, 2004**

LIMITED POTENTIAL SENSITIVE RECEPTOR SURVEY (SRS)
Atlantic Richfield Company
ARCO Facility #3037
915 Camino del Rio South
San Diego, CA 92108
SAM Case #H05125-002
SECOR PROJECT #08BP.03037.08
September 26, 2005



County of San Diego

GARY W. ERBECK DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH LAND AND WATER QUALITY DIVISION

P.O. BOX 129261, SAN DIEGO, CA 92112-9261 619-338-2222/FAX 619-338-2315/1-800-253-9933

www.sdcounty.ca.gov/deh/lwq

November 15, 2004

Mr. Gary Guacci State of California, Department of Water Resources Southern Division 770 Fairmont Avenue Glendale, CA 91203

Dear Mr. Gilbreath:

WELL SURVEY FOR MULTIPLE SITES

ARCO Products Company, as the Responsible Party (RP), has been directed by the County of San Diego Department of Environmental Health (DEH), Site Assessment and Mitigation Program, to perform a sensitive receptor survey in the area surrounding several of their sites (site locations listed below). DEH has been given the authority as the Local Oversight Program by the State of California Water Resources Control Board to oversee the environmental assessment of the site. In order to complete the DEH directive to conduct the receptor survey, SECOR, environmental consultant for ARCO Products Company, requires access to your well completion files.

The following are the sites for which a well survey is being requested:

- 1. ARCO #1975 H21443-003 7255 JACKSON DR., SAN DIEGO, CA 92119
- 2. ARCO #1995 H05162-001 11891 RANCHO BERNARDO RD., SAN DIEGO, CA 92128
- 3. ARCO #3037 H05125-002 915 CAMINO DEL RIO SOUTH, SAN DIEGO, CA 92108

Please provide SECOR or Banks Information Solutions, with well information that they request. The following is the contact information for RP and their consultants:

Responsible Party:
Mr. Roy Thun
ARCO Products Company
4 Centerpointe Dr.
La Palma, CA 90623-1066

Environmental Consultants: Ms. Melissa Garrett SECOR 2655 Camino Del Rio North, Suite 302 San Diego, CA 92108 (714) 379-3366

It is our understanding that the RP and their environmental consultant will use this information for the sole purpose of performing a sensitive receptor survey, and that the well logs will be kept confidential. If you have any questions, please call me at (619) 338-2456.

Sincerely,

DANNY MARTINEZ, Project Manager Site Assessment and Mitigation Program

DM:kd

cc: Ms. Melissa Garrett, SECOR

RICHARD HAAS

ASSISTANT DIRECTOR

APPENDIX B BANKS INFORMATION SYSTEM WATER WELL REPORT DATED SEPTEMBER 3, 2003

LIMITED POTENTIAL SENSITIVE RECEPTOR SURVEY (SRS)
Atlantic Richfield Company
ARCO Facility #3037
915 Camino del Rio South
San Diego, CA 92108
SAM Case #H05125-002
SECOR PROJECT #08BP.03037.08
September 26, 2005



Water Well Report

September 3, 2003

CLIENT

SECOR International, Inc. 2655 Camino Del Rio N., #302 San Diego, CA 92108

SITE

ARCO 3037/H05125-002 915 Camino Del Rio S. San Diego, CA 92108 090303-035

P.O. Box 12851, Capitol Station, Austin, TX 78711
700 N. Lamar, Suite 200 Austin, TX 78703
512.478.0059 FAX 512.478.1433 e-mail banks@banksinfo.com
Copyright 1998 by Banks Information Solutions, Inc.


М




Banks Information Solutions, Inc.

Water Well Report[™]

Map of Wells within One-Half Mile





Water Well Report

DETAILS

Banks Information Solutions, Inc.
Performed A Thorough Well
Search And No True Or Active
Water Wells Were Found.

P.O. Box 12851, Capitol Station, Austin, TX 78711
700 N. Lamar, Suite 200 Austin, TX 78703
512.478.0059 FAX 512.478.1433 e-mail banks@banksinfo.com
Copyright 1998 by Banks Information Solutions, Inc.

M

Water Well Report™ Research Mapping Protocol

The Banks Information Solutions, Inc. Water Well Report¹³⁴ is prepared from existing state water well databases and additional file data/records research conducted at the State of California Department of Water Resources. Submission of water well drillers logs is mandatory under California law. It should be noted that the California water well law applies to all persons constructing, altering, or destroying water wells regardless of whether or not they are engaged in the business of well construction. The law also applies to persons who convert, for use as a water well, an oil or gas well originally constructed under the jurisdiction of the Department of Conservation. More importantly, Banks (as well as any other public entity) is not granted the privilege of viewing, analyzing, or photocopying any filed notice of intent to engage in water well drilling activity or any completion reports, drillers logs, and well schedules. This rule inhibits the public from obtaining crucial data involving owner name, well use, total depth, drill date, etc. The public, in certain instances, can obtain, by law, limited data found on state location maps and groundwater analysis records. Please note the following opinion released on March 30, 1970 from the office of Chief Counsel Porter A. Towner, Department of Water Resources:

"Section 13752 (California Water Code) provides that the information in the logs and reports 'shall not be made available for inspection by the public but shall be made available to governmental agencies for use in making studies, provided that any report shall be made available to any person who obtains a written authorization from the owner of the water well.' When a governmental agency hires you as a consultant, that agency can release the information in the log to you for use in a study, but you would be subject to the same limitations as the public agency. Publication of specific items of information from the well reports, including the well logs, without the consent of the owner(s), is prohibited. You may publish discussions of groundwater conditions in an area described by section, township, and range, even though the conditions were established in whole or in part from studies of well reports. Reference to a specific well must be omitted if the information is derived from the report rather than an independent source. The best way for making the information available without restriction and to use it in a public report is to obtain written releases from the owners of the well."

Banks Information Solutions, Inc. has performed a thorough and diligent search of all groundwater well information provided and recorded with the California Department of Water Resources. All mapped locations are based on information obtained from the Department of Water Resources. Although Banks performs quality assurance and quality control on all research projects, we recognize that any inaccuracies of the records and mapped well locations could possibly be traced to the Department of Water Resources or the actual driller. It may be possible that some water well schedules and logs have never been submitted to the Department of Water Resources, as required by law, and thus may explain the possible unaccountability of privately drilled wells. It is uncertain if the above listing provides 100% of the existing wells within the area of review. Therefore, Banks Information Solutions, Inc. cannot fully guarantee the accuracy of the data or well location(s) of those maps and records maintained by the California Department of Water Resources.

APPENDIX C SECOR PHOTOGRAPHIC RECORD

LIMITED POTENTIAL SENSITIVE RECEPTOR SURVEY (SRS)
Atlantic Richfield Company
ARCO Facility #3037
915 Camino del Rio South
San Diego, CA 92108
SAM Case #H05125-002
SECOR PROJECT #08BP.03037.08
September 26, 2005

SECOR PHOTOGRAPHIC RECORD


Client: Atlantic Richfield Job Number: 08BP.03037.04

Subject Name: ARCO Facility #3037 Location: 915 Camino del Rio South

San Diego, CA 92108


Photographer: Melissa Garrett Date: November 12, 2004

Photograph No. 1



View of the subject property and adjacent property to the south looking southeast.

Photograph No. 2



SECOR PHOTOGRAPHIC RECORD

Client: Atlantic Richfield Job Number: 08BP.03037.04

Subject Name: ARCO Facility #3037 Location: 915 Camino del Rio South San Diego, CA 92108

Photographer: Melissa Garrett Date: November 12, 2004

Photograph No. 3



View of adjacent property to the west of the subject site.

Photograph No. 4



Interstate Highway 8 and commercial strip mall to the north of the subject site across Camino del Rio South.

SECOR PHOTOGRAPHIC RECORD

Client: Atlantic Richfield Job Number: 088P.03037.04

Subject Name: ARCO Facility #3037 Location: 915 Camino del Río South San Diego, CA 92108

Photographer: Melissa Garrett Date: November 12, 2004

Photograph No. 5



View looking northeast from the subject site.

Photograph No. 6

